



Tri-Kleen
HVAC Extended
Care Products

Part B
with Part A

Tri-Kleen PS

Tri-Kleen PS Royal Blue will be transparent in applications of less than the suggested quarter inch.

Tri-Kleen PS is a two part product. You must mix A and B together. This mixture is poured in and forms a very strong bond with virtually everything.

Take care not to get it into drain lines and other surfaces where you don't want it.

RESURFACE
corroded, pitted metal
A/C drain pans
ice machine drain pans
refrigeration drain pans

PART# 790501

Coverage: 1 gallon will cover approx 5 sq ft at 1/4" depth.
Optimum use temp: 70-80
Pot life: 5 to 20 minutes

USE GOOD VENTILATION

DANGER
Irritating liquid and vapor. May cause eye irritation. May cause skin irritation. May cause respiratory irritation. May cause allergic reactions. May cause dizziness. May cause nausea. May cause vomiting. May cause diarrhea. May cause constipation. May cause headache. May cause drowsiness. May cause loss of consciousness. May cause death.

RESURFACE
corroded, pitted metal
A/C drain pans
ice machine drain pans
refrigeration drain pans

PART# 790501

Coverage: 1 gallon will cover approx 5 sq ft at 1/4" depth.
Optimum use temp: 70-80
Pot life: 5 to 20 minutes

USE GOOD VENTILATION

DANGER
Irritating liquid and vapor. May cause eye irritation. May cause skin irritation. May cause respiratory irritation. May cause allergic reactions. May cause dizziness. May cause nausea. May cause vomiting. May cause diarrhea. May cause constipation. May cause headache. May cause drowsiness. May cause loss of consciousness. May cause death.

Tri-Kleen PS

RESURFACE
corroded, pitted metal
A/C drain pans
ice machine drain pans
refrigeration drain pans



DANGER
Irritating liquid and vapor. May cause eye irritation. May cause skin irritation. May cause respiratory irritation. May cause allergic reactions. May cause dizziness. May cause nausea. May cause vomiting. May cause diarrhea. May cause constipation. May cause headache. May cause drowsiness. May cause loss of consciousness. May cause death.

Tri-Kleen PS

RESURFACE
corroded, pitted metal
A/C drain pans
ice machine drain pans
refrigeration drain pans

PART# 790501

Coverage: 1 gallon will cover approx 5 sq ft at 1/4" depth.
Optimum use temp: 70-80
Pot life: 5 to 20 minutes

USE GOOD VENTILATION



WARNING
Suspected of causing genetic defects. Causes serious eye irritation. Causes skin irritation. Causes respiratory irritation. Causes allergic reactions. Causes dizziness. Causes nausea. Causes vomiting. Causes diarrhea. Causes constipation. Causes headache. Causes drowsiness. Causes loss of consciousness. Causes death.

Tri-Kleen PS

RESURFACE
corroded, pitted metal
A/C drain pans
ice machine drain pans
refrigeration drain pans

USE GOOD VENTILATION

PREPARE THE SURFACE BEFORE MIXING

Using a wire brush or other means, remove loose scale, rust, dirt, oil, grease, etc. from the surface to be resurfaced. Rinse very well to remove any chemicals that may be on the surface. Cover nearby surfaces with a plastic sheet or tarp.

NEW GALLONS
When you receive a new gallon of Tri-Kleen PS, the white seal on the cap will still be on the cap. Remove the seal and mix the product as directed on the label.

Build up drain pans
Build up drain pans with Tri-Kleen PS. The white seal on the cap will still be on the cap. Remove the seal and mix the product as directed on the label.

USE GOOD VENTILATION

DANGER

Irritating liquid and vapor. May cause eye irritation. May cause skin irritation. May cause respiratory irritation. May cause allergic reactions. May cause dizziness. May cause nausea. May cause vomiting. May cause diarrhea. May cause constipation. May cause headache. May cause drowsiness. May cause loss of consciousness. May cause death.

Tri-Kleen HVAC Extended Care

LEADERS IN CONTAINMENT SOLUTIONS

A dirty HVAC system can impact the quality and amount of air entering your building, the health of its occupants, and the efficient performance of the entire system. Tri-Dim offers a complete series of HVAC extended-care products that can help bring your HVAC system back under control and performing the job that it was designed to do.

TRI-KLEEN AC

Condensate drip pan micro-biocide

Helps stop dirt settling on surfaces to keep pans clean, keeps water crystal clear and helps inhibit corrosion.



Features

- 32% active ingredients—broad spectrum micro-biocide
- Controls the growth of bacteria
- Prevents overflows
- Engineered for all sizes of HVAC units
- 13 sizes to choose from—from ½ ton to 50-ton units and up
- Time released—from three to six months (no ingredients are released during periods when no water is present)
- EPA registered
- Non-volatile—the ingredients will not travel through the air
- Fabric enclosure—permeable to water, keeps product intact and eases removal
- Flexible polymer—eases placement of the product in tight and hard-to-reach places
- Elongated design—releases ingredients over a larger portion of the pan to increase effectiveness

Tri-Kleen HVAC Extended Care



TRI-KLEEN CP Coil Protectant

Tri-Kleen CP extends the interval between coil cleanings by ionically binding to your coils to form a barrier that prevents debris build-up. It also fills in the pits that can be caused by continual cleaning

and harsh chemicals. Tri-Kleen CP has no effect on the heat transfer of coils, extremely low VOCs, a 0-0-0 hazard rating, is PH neutral and easy to clean up with water.



TRI-KLEEN PS Pan Sealant

Don't replace the entire coil section just because your condensate pan has corroded. Tri-Kleen PS will seal all of the holes and imperfections in your pan. Tri-Kleen PS is a submersible, chemical resistant anti-corrosion coating for

metals, such as aluminum and galvanized steel. Tri-Kleen PS can also be used to correct un-level pans or low spots that collect and hold stagnant water, which the EPA recommends against.



TRI-KLEEN DI Disinfectant for HVAC Systems

Tri-Kleen DI is an EPA registered, broad-spectrum disinfectant that kills fungus, bacteria and germs that can breed in the interior surfaces of an air handler. Tri-Kleen DI contains iodine—a reliable disinfectant used by hospitals

throughout the world for over 100 years. Iodine is so effective because it kills the germs rapidly on a cellular level so no immunities can develop. Tri-Kleen DI also contains surfactants to further enhance cleaning performance.

Tri-Kleen HVAC Extended Care



Untreated coils after 4,000 hours in salt spray chamber.



Coils treated with Tri-Kleen CP-XL after the same 4,000 hours.

TRI-KLEEN CP-XL Coil Protectant—Salt Air Conditions

- Coil protection in the harshest of environments
- Weatherproof your condenser coils
- Withstood a 4,000-hour test in a salt spray chamber
- Water based
- Non-flammable
- Very low VOC
- Treat coils for a fraction of the cost of other treatments



TRI-KLEEN PC Powdered Coil Cleaner

- Easy storage
- No leak hazard
- No product separation
- Contains powerful cleaners
- Foaming agents help to deep clean coils
- Contains a corrosion inhibitor
- Quick dissolving
- Good for all types of coils
- Removes dirt, hair, dander, grease, dust and other particles

Tri-Dim Filter Corporation is committed to continual product development - all descriptions, specifications and performance data are subject to change without notice. Tri-Dim products are manufactured to exacting criteria - there can be a ±5% variance in filter performance.

LOCAL REPRESENTATIVE